



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Preparation of safety data sheets for hazardous chemicals Code of Practice June 2023

ANCHORWELD SPRAY'N'STICK
Revision Number 2

Revision date 13-Jul-2025
Supersedes date 16-Nov-2022

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name ANCHORWELD SPRAY'N'STICK

Product Code(s)
30840549
30840549

Other means of identification

Proper shipping name Aerosols

UN number or ID number UN1950

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Adhesives

Uses advised against No information available.

Details of manufacturer or importer

Supplier

Bostik Australia Pty Ltd
51-71 High Street,
Thomastown Victoria
Australia
Tel: 613 9279-9333
Fax: 613 9279-9342

Manufacturer

Bostik Australia Pty Ltd
51-71 High Street,
Thomastown Victoria
Australia
Tel: 613 9279-9333
Fax: 613 9279-9342

ABN: 79 003 893 838

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Aspiration hazard	Not applicable
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Carcinogenicity	Category 1B - (H350)
Specific target organ toxicity (single exposure)	Category 3 - (H336)

Label elements

Exclamation mark
Health hazard

SAFETY DATA SHEET

ANCHORWELD SPRAY'N'STICK
Revision Number 2

Revision date 13-Jul-2025
Supersedes date 16-Nov-2022



Signal word
DANGER

Hazard statements

H315 - Causes skin irritation
H319 - Causes serious eye irritation
H336 - May cause drowsiness or dizziness
H350 - May cause cancer

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wear protective gloves, protective clothing, eye protection and face protection
Wash face, hands and any exposed skin thoroughly after handling
Avoid breathing dust, fume, gas, mist, vapors and spray
Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention
IF ON SKIN: Wash with plenty of water and soap
If skin irritation occurs: Get medical advice/attention
Take off contaminated clothing and wash it before reuse
IF INHALED: Remove person to fresh air and keep comfortable for breathing
Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

Store in a well-ventilated place

Precautionary Statements - Disposal

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

No information available.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number 5

Label requirements in accordance with SUSMP

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Chemical name	CAS No.	Weight-%
2-Methylpentane	107-83-5	10 - 30

SAFETY DATA SHEET

ANCHORWELD SPRAY'N'STICK
Revision Number 2

Revision date 13-Jul-2025
Supersedes date 16-Nov-2022

Dichloromethane	75-09-2	10 - 30
Naphtha, petroleum, hydrotreated light, <0.1% Benzene	64742-49-0	3 - 7
Cyclohexane	110-82-7	1 - 5
Methylcyclopentane	96-37-7	1 - 5
Hexane	110-54-3	0.1 - 1
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26
Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

General advice IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the chemical No information available.

Hazardous combustion products Carbon oxides. Hydrocarbons. Hydrogen chloride.

SAFETY DATA SHEET

ANCHORWELD SPRAY'N'STICK
Revision Number 2

Revision date 13-Jul-2025
Supersedes date 16-Nov-2022

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Ensure adequate ventilation. Avoid breathing vapors or mists. In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

This material is a scheduled poison and must be stored, maintained and used in accordance with the relevant regulations

Section 8: Exposure controls and personal protection

Control Parameters

Exposure Limits

Chemical name	Australia
Dichloromethane	TWA: 50 ppm;

SAFETY DATA SHEET

ANCHORWELD SPRAY'N'STICK
Revision Number 2

Revision date 13-Jul-2025
Supersedes date 16-Nov-2022

75-09-2	TWA: 174 mg/m ³ ;
Cyclohexane 110-82-7	TWA: 100 ppm; TWA: 350 mg/m ³ ; STEL: 300 ppm; STEL: 1050 mg/m ³ ;
Hexane 110-54-3	TWA: 20 ppm; TWA: 72 mg/m ³ ;

OEL as published by Safe Work Australia

Biological occupational exposure limits

Appropriate engineering controls

Engineering controls Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Long sleeved clothing. Lightweight protective clothing.

Hand protection For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Nitrile rubber.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Use appropriate respiratory protection. Organic gases and vapors filter conforming to EN 14387. Wear a respirator conforming to EN 140 with Type A filter or better.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Aerosol
Appearance Aerosol
Color Clear, colorless
Odor Solvent
Odor threshold No information available

Property	Values	Remarks • Method
pH	No data available	Not applicable Insoluble in water
pH (as aqueous solution)	No data available	
Melting point / freezing point	No data available	
Initial boiling point and boiling range	-42 - 0	Not applicable, Aerosol
Flash point	-104 - -60	Not applicable, Aerosol
Evaporation rate	No data available	
Flammability	No data available	
Flammability Limit in Air		
Upper flammability or explosive limits	1.5	
Lower flammability or explosive limits	9.6	
Vapor pressure	No data available	
Relative vapor density	No data available	
Relative density	0.58	
Water solubility	Insoluble in water	
Solubility(ies)	No data available	

SAFETY DATA SHEET

ANCHORWELD SPRAY'N'STICK
Revision Number 2

Revision date 13-Jul-2025
Supersedes date 16-Nov-2022

Partition coefficient	No data available
Autoignition temperature	>495 °C
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No information available
Oxidizing properties	No information available

Other information

Solid content (%)	No information available
Density	No information available
VOC content	No information available

Section 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid None known based on information supplied.

Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Nitrogen oxides (NOx). Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).

SAFETY DATA SHEET

ANCHORWELD SPRAY'N'STICK
Revision Number 2

Revision date 13-Jul-2025
Supersedes date 16-Nov-2022

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms Redness. May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Numerical measures of toxicity - Product Information

The following ATE values have been calculated for the mixture

ATEmix (oral) >5000 mg/kg
ATEmix (dermal) 8,140.30 mg/kg
ATEmix (inhalation-gas) >20000
ATEmix (inhalation-vapor) >20 mg/l
ATEmix (inhalation-dust/mist) 291.70 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Methylpentane	LD50 >10,000 mg/kg	-	-
Dichloromethane	=2136 mg/kg (Rattus)	>2000 mg/Kg (Rattus) (OECD 402)	=53 mg/L (Rattus) 6 h = 76000 mg/m ³ (Rattus) 4 h
Naphtha, petroleum, hydrotreated light, <0.1% Benzene	>5000 mg/kg (Rattus)	> 3160 mg/kg (Oryctolagus cuniculus)	=73680 ppm (Rattus) 4 h
Cyclohexane	=12705 mg/kg (Rattus)	> 2000 mg/kg (Oryctolagus cuniculus)	>9500 ppm (Rattus) 4 h
Hexane	=25 g/kg (Rattus)	= 3000 mg/kg (Oryctolagus cuniculus)	=48000 ppm (Rattus) 4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Component Information					
Hexane (110-54-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404: Acute Dermal Irritation/Corrosion	Rabbit	Dermal		24 hours	irritant

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
---------------	-----------	----------------	------

SAFETY DATA SHEET

ANCHORWELD SPRAY'N'STICK
Revision Number 2

Revision date 13-Jul-2025
Supersedes date 16-Nov-2022

Dichloromethane 75-09-2	Carc. 2	Carc. 2	Group 2A
Naphtha, petroleum, hydrotreated light, <0.1% Benzene 64742-49-0	Carc. 1A		

Legend

IARC (International Agency for Research on Cancer)
Group 2A - Probably Carcinogenic to Humans

Component Information		
Dichloromethane (75-09-2)		
Method	Species	Results
OECD 453	Rat	Carcinogenic

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure May cause drowsiness or dizziness.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity Based on available data, the classification criteria are not met.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Methylpentane 107-83-5	EC50 = 4.321 mg/L (Green algae)	-	-	LC50 = 3.649 mg/L (Daphnia magna)
Dichloromethane 75-09-2	EC50: >500mg/L (72h, Pseudokirchneriella subcapitata) EC50: >500mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =193mg/L (96h, Lepomis macrochirus) LC50: 140.8 - 277.8mg/L (96h, Pimephales promelas) LC50: 262 - 855mg/L (96h, Pimephales promelas)	-	EC50: =190mg/L (48h, Daphnia magna) EC50: 1532 - 1847mg/L (48h, Daphnia magna)
Naphtha, petroleum, hydrotreated light, <0.1% Benzene 64742-49-0	-	LC50: =8.41mg/L (96h, Oncorhynchus mykiss)	-	LC50: =2.6mg/L (96h, Chaetogammarus marinus)
Cyclohexane 110-82-7	EC50 72 h > 9.3 mg/L (Pseudokirchnerella subcapitata)	LC50: 23.03 - 42.07mg/L (96h, Pimephales promelas) LC50: 48.87 - 68.76mg/L (96h, Poecilia reticulata) LC50: 3.96 - 5.18mg/L (96h, Pimephales promelas) LC50: 24.99 - 44.69mg/L (96h, Lepomis macrochirus)	EC50 = 85.5 mg/L 5 min EC50 = 93 mg/L 10 min	EC50: >0.9 mg/L (24h, Daphnia magna)
Hexane 110-54-3	-	LC50: 2.1 - 2.98mg/L (96h, Pimephales promelas)	-	EC50: >1000mg/L (24h, Daphnia magna)

SAFETY DATA SHEET

ANCHORWELD SPRAY'N'STICK
Revision Number 2

Revision date 13-Jul-2025
Supersedes date 16-Nov-2022

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
2-Methylpentane 107-83-5	3.214
Dichloromethane 75-09-2	1.25
Cyclohexane 110-82-7	3.44
Hexane 110-54-3	4

Mobility

Mobility in soil No information available.

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

Section 14: Transport information

ADG

UN number or ID number UN1950
UN proper shipping name Aerosols
Transport hazard class(es) 2.1
Environmental hazard Yes
Special Provisions 63, 190, 277, 327, 344, 381
Limited quantity (LQ) See SP 277
Description UN1950, Aerosols, 2.1

IATA

UN number or ID number UN1950
Transport hazard class(es) 2.1
ERG Code 10L
Special Provisions A145, A167, A802
Limited quantity (LQ) 30 kg G
Description UN1950, Aerosols, flammable, 2.1

SAFETY DATA SHEET

ANCHORWELD SPRAY'N'STICK
Revision Number 2

Revision date 13-Jul-2025
Supersedes date 16-Nov-2022

IMDG

UN number or ID number UN1950
Transport hazard class(es) 2.1
EmS-No. F-D, S-U
Limited Quantity (LQ) See SP277
Special Provisions 63,190, 277, 327, 344, 381, 959
Marine pollutant P
Description UN1950, Aerosols, 2.1, Marine pollutant

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number 5

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Major hazard (accident/incident planning) regulation

Verify that license requirements are met

Hazardous chemical

Liquids with flash points <61°C kept above their boiling points at ambient conditions

Threshold quantity (T)

200

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
2-Methylpentane 107-83-5	20 MW Threshold category 2b as Total Volatile Organic Compounds: the sum, by mass, of individual VOC, including non-NPI VOC 60000 MWH Threshold category 2b as Total Volatile Organic Compounds: the sum, by mass, of individual VOC, including non-NPI VOC 1 tonne/h Threshold category 2a as Total Volatile Organic Compounds: the sum, by mass, of individual VOC, including non-NPI VOC 25 tonne/yr Threshold category 1a as Total Volatile Organic Compounds: the sum, by mass, of individual VOC, including non-NPI VOC 400 tonne/yr Threshold category 2a as Total Volatile Organic Compounds: the sum, by mass, of individual VOC, including non-NPI VOC 2000 tonne/yr Threshold category 2b as Total Volatile Organic Compounds: the sum, by mass, of individual VOC, including

SAFETY DATA SHEET

ANCHORWELD SPRAY'N'STICK
Revision Number 2

Revision date 13-Jul-2025
Supersedes date 16-Nov-2022

	non-NPI VOC
Dichloromethane 75-09-2	10 tonne/yr Threshold category 1 VOC
Cyclohexane 110-82-7	10 tonne/yr Threshold category 1 VOC
Methylcyclopentane 96-37-7	20 MWh Threshold category 2b as Total Volatile Organic Compounds: the sum, by mass, of individual VOC, including non-NPI VOC 60000 MWh Threshold category 2b as Total Volatile Organic Compounds: the sum, by mass, of individual VOC, including non-NPI VOC 1 tonne/h Threshold category 2a as Total Volatile Organic Compounds: the sum, by mass, of individual VOC, including non-NPI VOC 25 tonne/yr Threshold category 1a as Total Volatile Organic Compounds: the sum, by mass, of individual VOC, including non-NPI VOC 400 tonne/yr Threshold category 2a as Total Volatile Organic Compounds: the sum, by mass, of individual VOC, including non-NPI VOC 2000 tonne/yr Threshold category 2b as Total Volatile Organic Compounds: the sum, by mass, of individual VOC, including non-NPI VOC
Hexane 110-54-3	10 tonne/yr Threshold category 1 VOC

International Inventories

AIIC	Complies
NZIoC	Not Listed
ENCS	Not Listed
IECSC	Not Listed
KECL	Not Listed
PICCS	Not Listed

Legend:

- AIIC** - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing Chemicals Inventory
PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Directive 2011/65/EU (EU RoHS 2), as amended by the Delegated Directive (EU) 2015/863 (EU RoHS 3)

SAFETY DATA SHEET

ANCHORWELD SPRAY'N'STICK
Revision Number 2

Revision date 13-Jul-2025
Supersedes date 16-Nov-2022

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision date 13-Jul-2025

Revision Note

SDS sections updated: 3, 9.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
C	Carcinogen		

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information

EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet